

# Diabetic Medicine

Journal of Diabetes UK

Contents Volume 22, 2005

## January 2005 Number 1

### Editorial

- 1 Thoughts of an incoming Editor S. M. Marshall

### Review article

- 2 Insulino-mimetic and anti-diabetic effects of vanadium compounds A. K. Srivastava, M. Z. Mehdi

### Original articles

- 14 Urinary concentration of transforming growth factor- $\beta$ -inducible gene-h3 (big-h3) in patients with Type 2 diabetes mellitus D. R. Cha, I. S. Kim, Y. S. Kang, S. Y. Han, K. H. Han, C. Shin, Y. H. Ji, N. H. Kim
- 21 Maternal triglyceride levels and newborn weight in pregnant women with normal glucose tolerance G. Di Cianni, R. Miccoli, L. Volpe, C. Lencioni, A. Ghio, M. G. Giovannitti, I. Cuccuru, G. Pellegrini, K. Chatzianagnostou, A. Boldrini, S. Del Prato
- 26 Usefulness of total cholesterol/HDL-cholesterol ratio in the management of diabetic dyslipidaemia J. A. Gimeno-Orna, E. Faure-Nogueras, M. A. Sancho-Serrano
- 32 Barriers to following dietary recommendations in Type 2 diabetes S. Vijan, N. S. Stuart, J. T. Fitzgerald, D. L. Ronis, R. A. Hayward, S. Slater, T. P. Hofer
- 39 Measurement of insulin sensitivity in Type 2 diabetes mellitus: comparison between  $K_{ITT}$  and HOMA-%S indices and evaluation of their relationship with the components of the insulin resistance syndrome S. Inchiostro
- 45 Lifetime glycaemic exposure predicts reduced coronary vasoreactivity in Type 1 diabetic subjects J. Sundell, T. Janatuinen, T. Rönnemaa, A. Naum, H. Laine, M. Luotolahti, P. Nuutila, O. T. Raitakari, J. Knuuti
- 52 Factors predicting the blood glucose lowering effect of a 30-day very low calorie diet in obese Type 2 diabetic patients I. M. Jazet, H. Pijl, M. Frölich, R. C. Schoemaker, A. E. Meinders
- 56 Interstitial glucose in skeletal muscle of diabetic patients during an oral glucose tolerance test M. Frossard, D. Blank, Ch. Joukadar, K. Bayegan, R. Schmid, A. Luger, M. Müller
- 61 Increasing prevalence of Type 2 diabetes mellitus in all ethnic groups in Mauritius S. Söderberg, P. Zimmet, J. Tuomilehto, M. de Courten, G. K. Douse, P. Chitson, H. Gareeboo, K. G. M. M. Alberti, J. E. Shaw
- 69 The TGF- $\beta$ 1 gene codon 10 polymorphism contributes to the genetic predisposition to nephropathy in Type 1 diabetes A. Patel, W. R. Scott, P. A. Lympany, J. D. Rippin, G. V. Gill, the Warren 3/UK GoKind Study Group, A. H. Barnett, S. C. Bain

- 74 Studies of relationships between variation of the human G protein-coupled receptor 40 Gene and Type 2 diabetes and insulin release Y. H. Hamid, H. Vissing, B. Holst, S. A. Urhammer, C. Pyke, S. K. Hansen, C. Gliimer, K. Borch-Johnsen, T. Jorgensen, T. W. Schwartz, O. Pedersen, T. Hansen

### Epidemiology

- 81 The association of smoking and subclinical atherosclerosis in Type 2 diabetes: modification by duration of diabetes R. Karim, T. A. Buchanan, H. N. Hodis, Y. Li, W. J. Mack
- 88 Prevalence of diabetes and impaired glucose regulation in 45- to 64-year-old individuals in three areas of Finland H. Ylilämsilä, J. Lindström, J. G. Eriksson, P. Jousilahti, T. T. Valle, J. Sundvall, J. Tuomilehto

### Clinical practice

- 92 Insulin pump therapy in children and adolescents: improvements in key parameters of diabetes management including quality of life S. K. McMahon, F. L. Airey, D. A. Marangou, K. J. McElwee, C. L. Carne, A. J. Clarey, E. A. Davis, T. W. Jones

### Short reports

- 97 Soluble transferrin receptors and ferritin in Type 2 diabetic patients C. Hernández, A. Lecube, A. Carrera, R. Simó
- 102 A rational clinical approach to suspected insulin allergy: status after five years and 22 cases U. Bodtger, M. Wittrup
- 107 Hospital in-patients with diabetes: increasing prevalence and management problems M. E. Wallymahmed, S. Dawes, G. Clarke, S. Saunders, N. Younis, I. A. MacFarlane

### Letter

- 110 Influenza and pneumococcal vaccination rates among Greek diabetic patients in primary care A. Sotiropoulos, P. Merkouris, A. Gikas, S. Skourtis, E. Skliros, L. Lanaras, T. Nikolaou, S. Pappas

### Book review

- 112 Textbook of Type 2 Diabetes A. Kilvert, C. Fox
- 113 DM Diary

## February 2005 Number 2

### Editorial

- 115 Is the 'Accelerator Hypothesis' worthy of our attention? D. Daneman

**Review article**

- 118 Insulin treatment and cardiovascular disease; friend or foe? A point of view *M. J. Muis, M. L. Bots, D. E. Grobbee, R. P. Stolk*

**Original articles**

- 127 Creation of a multidisciplinary, evidence based, clinical guideline for the assessment, investigation and management of acute diabetes related foot complications *P. R. Wraight, S. M. Lawrence, D. A. Campbell, P. G. Colman*
- 137 Clinical characteristics,  $\beta$ -cell function, HLA class II and mutations in MODY genes in non-paediatric subjects with Type 1 diabetes without pancreatic autoantibodies *E. Aguilera, R. Casamitjana, G. Ercilla, J. Oriola, F. Nicoletti, R. Gomis, I. Conget*
- 144 Increasing body weight predicts the earlier onset of insulin-dependant diabetes in childhood: testing the 'accelerator hypothesis' (2) *P. Betts, J. Mulligan, P. Ward, B. Smith, T. Wilkin*
- 152 Psychiatric morbidity and health outcome in Type 1 diabetes – perspectives from a prospective longitudinal study *E. A. Northam, L. K. Matthews, P. J. Anderson, F. J. Cameron, G. A. Werther*
- 158 Effects of nateglinide on myocardial microvascular reactivity in Type 2 diabetes mellitus – a randomized study using positron emission tomography *F. M. Bengel, C. Abletshauser, J. Neverve, O. Schnell, S. G. Nekolla, E. Standl, M. Schwaiger*
- 164 Predicting vascular risk in Type 1 diabetes: stratification in a hospital based population in Scotland *Royal College of Physicians of Edinburgh Diabetes Register Group*
- 172 Healing diabetic neuropathic foot ulcers: are we getting better? *D. J. Margolis, L. Allen-Taylor, O. Hoffstad, J. A. Berlin*
- 177 In-hospital breast feeding rates among women with gestational diabetes and pregestational Type 2 diabetes in South Auckland *D. Simmons, C. Conroy, C. F. Thompson*
- 182 Unchanged incidence of diabetic nephropathy in Type 1 diabetes: a nation-wide study in Iceland *G. Tryggvason, O. S. Indridason, A. V. Thorsson, A. B. Hreidarsson, R. Palsdon*
- 188 NT-proBNP in normoalbuminuric patients with Type 2 diabetes mellitus *N. H. Andersen, S. H. Poulsen, S. T. Knudsen, L. Heickendorff, C. E. Mogensen*
- 196 Interclinician variation in diabetes foot assessment—a national lottery? *L. Thompson, C. Nester, L. Stuart, P. Wiles*

**Epidemiology**

- 200 Parental age at delivery, birth order, birth weight and gestational age are associated with the risk of childhood Type 1 diabetes: a UK regional retrospective cohort study *C. R. Cardwell, D. J. Carson, C. C. Patterson*
- 207 Controlling the diabetes epidemic: how should we screen for undiagnosed diabetes and dysglycaemia? *D. Simmons, C. F. Thompson, M. M. Engelgau*

**Clinical practice**

- 213 Glycaemic and insulin responses of six traditional Sudanese carbohydrate-rich meals in subjects with Type 2 diabetes mellitus *M. Abdelgadir, M. Abbas, A. Järvi, M. Elbagir, M. Eltom, C. Berne*

**Case report**

- 218 'Disappearing diabetes'—resolution of apparent Type 1 diabetes in a patient with AIDS and cytomegalovirus (CMV) infection *E. M. Evans, F. Nye, N. J. Beeching, G. V. Gill*

**Short report**

- 221 Near patient blood ketone measurements and their utility in predicting diabetic ketoacidosis *S. Harris, R. Ng, H. Syed, R. Hillson*

**Letters**

- 225 Regarding the use of HOMA to aid drug selection *R. J. Richards*
- 225 Insulin resistance determines efficacy of glimepiride in Type 2 diabetic patients not well controlled by diet alone *H. Shimizu, T. Monden, T. Nagai, Y. Shoda, T. Sato, M. Yamada, M. Mori*
- 226 A deletion polymorphism of the  $\alpha_{2B}$ -adrenergic receptor gene is not associated with late complications in Type 1 diabetic patients *P. Heinonen, K. Pettersson-Fernholm, C. Forsblom, J. Kallio, M. Scheinin, P.-H. Groop and for the FinnDiane Study Group*
- 228 Framingham risk equations underestimate coronary heart disease risk in diabetes *R. J. Stevens, R. L. Coleman, R. R. Holman*
- 229 DM Diary

**March 2005 Number 3****Review article**

- 231 Foot temperature in diabetic polyneuropathy: innocent bystander or unrecognized accomplice? *S. B. Rutkove, K. M. Chapman, J. A. Acosta, J. E. Larrabee*

**Original articles**

- 239 Statin therapy improves brachial artery vasodilator function in patients with Type 1 diabetes and microalbuminuria *G. K. Dogra, G. F. Watts, D. C. Chan, K. Stanton*
- 243 The J-shape effect of alcohol intake on the risk of developing acute coronary syndromes in diabetic subjects: the CARDIO2000 II Study *C. Pitsavos, K. Makrilakis, D. B. Panagiotakos, C. Chrysoschoou, I. Ioannidis, C. Dimosthenopoulos, C. Stefanadis, N. Katsilambros*
- 249 The effect of multi-factorial intervention on plasma von Willebrand factor, soluble E-selectin and tissue factor in diabetes mellitus: implications for atherosclerotic vascular disease *H. S. Lim, A. Y. Chong, B. Freestone, A. D. Blann, G. Y. H. Lip*
- 256 A mobile screening programme for the cardiovascular and microvascular complications of Type 2 diabetes in primary care *M. J. Sampson, P. Barrie, N. Dozio, M. Flatman, M. Hadley-Brown, I. Harvey, P. J. Heyburn, C. Jones, R. Mann, R. C. Temple, R. H. Greenwood*
- 258 Renal damage in patients with Type 2 diabetes: a strong predictor of mortality *S. Bo, G. Ciccone, R. Rosato, R. Gancia, G. Grassi, F. Merletti, G. F. Pagano*
- 266 Greater beneficial effects of visceral fat reduction compared with subcutaneous fat reduction on parameters of the metabolic syndrome: a study of weight reduction programmes in subjects with visceral and subcutaneous obesity *H. S. Park, K. Lee*
- 273 Pharmacokinetic profiles of biphasic insulin aspart 30/70 and 70/30 in patients with Type 1 diabetes: a randomized double-blinded crossover study *J.-W. Chen, T. Lauritzen, J. J. Christiansen, L. H. Jensen, W. H. O. Clausen, J. S. Christiansen*

- 278 Plasma leptin concentration in patients with Type 2 diabetes: relationship to cardiovascular disease risk factors and insulin resistance N. A. Abdella, O. A. Mojiminiyi, M. A. Moussa, M. Zaki, H. Al Mohammedi, E. S. S. Al Ozairi, S. Al Jebely
- 286 How diabetic patients think about and manage their illness in Taiwan W. A. Lai, C.-Y. Lew-Ting, W.-C. Chie
- 293 Affective and anxiety disorders in a German sample of diabetic patients: prevalence, comorbidity and risk factors N. Hermanns, B. Kulzer, M. Krichbaum, T. Kubiak, T. Haak
- 301 Reduced plasma total homocysteine concentrations in Type 1 diabetes mellitus is determined by increased renal clearance B. A. J. Veldman, G. Vervoort, H. Blom, P. Smits
- 306 Insulin sensitivity at diagnosis of Type 2 diabetes is not associated with subsequent cardiovascular disease (UKPDS 67) A. I. Adler, J. C. Levy, D. R. Matthews, I. M. Stratton, G. Hines, R. R. Holman
- 312 Caries risk assessment as a predictor of metabolic control in young Type 1 diabetics S. Twetman, G. H. Petersson, D. Brattball
- 316 An intensified lifestyle intervention programme may be superior to insulin treatment in poorly controlled Type 2 diabetic patients on oral hypoglycaemic agents: results of a feasibility study A. M. Aas, I. Bergstad, P. M. Thorsby, O. Johannesen, M. Solberg, K. I. Birkeland

#### Epidemiology

- 323 Alcohol consumption and other risk factors for self-reported diabetes among middle-aged Japanese: a population-based prospective study in the JPHC study cohort I K. Waki, M. Noda, S. Sasaki, Y. Matsumura, Y. Takahashi, A. Isogawa, Y. Ohashi, T. Kadowaki, S. Tsugane for the JPHC Study Group
- 332 A comparison of urinary albumin excretion rate and microalbuminuria in various glucose tolerance subjects XL. Wang, JM. Lu, CY. Pan, H. Tian, CL. Li
- 336 Routine diagnosis of Type 2 diabetes mellitus in general practice and hospitals: how do patients differ? T. Driusbolm, N. de F. Olivarius

#### Case reports

- 340 Hepatitis C virus infection-related Type 1 diabetes mellitus L.-K. Chen, Y.-C. Chou, S.-T. Tsai, S.-J. Hwang, S.-D. Lee
- 344 Improvement of glycaemic control with rebound following orlistat initiation and cessation associated with minimal weight change S. González, E. S. Kilpatrick, S. L. Atkin
- 346 Low-dose metformin improves hyperglycaemia related to myotonic dystrophy T. Kouki, N. Takasu, A. Nakachi, T. Tamanaha, I. Komiya, M. Tawata

#### Short report

- 348 The annual incidence of diabetic complications in a population of patients with Type 1 and Type 2 diabetes R. R. McAlpine, A. D. Morris, A. Emslie-Smith, P. James, J. M. M. Evans

#### Letters

- 353 The potential of motivational interviewing S. Channon, M. V. Huws-Thomas, S. Rollnick, J. W. Gregory
- 353 Effect of lower diagnostic thresholds on estimates of prevalence of impaired fasting glucose (IFG) E. Mannucci, G. Bardini, C. M. Rotella

- 355 New carotid plaque formation is very common in adult patients with Type 2 diabetes mellitus P. Lundman, A. C. Keech, K. Griffiths, A. Pillai, D. S. Celermajer
- 356 Serum levels of L-arginine analogues and glutathione peroxidase and catalase gene variants in Type 2 diabetes mellitus patients T. Szelestei, S. Báhring, Z. Wagner, A. Aydin, G. A. Molnár, B. Kocsis, J. Nagy, I. Wittmann
- 358 DM Diary

## April 2005 Number 4

#### Review article

- 359 Animal models of diabetes mellitus D. A. Rees, J. C. Alcolado

#### Special report

- 371 How to ensure your paper is rejected by the statistical reviewer I. M. Stratton, A. Neil

#### Original articles

- 374 Twice-daily pre-mixed insulin rather than basal insulin therapy alone results in better overall glycaemic control in patients with Type 2 diabetes J. K. Malone, S. Bai, B. N. Campaigne, J. Reviriego, B. Augendre-Ferrante
- 382 Optimization of basal insulin delivery in Type 1 diabetes: a retrospective study on the use of continuous subcutaneous insulin infusion and insulin glargine M. Fahlén, B. Eliasson, A. Odén
- 387 Tumour necrosis factor receptors (TNFRs) in Type 2 diabetes. Analysis of soluble plasma fractions and genetic variations of TNFR2 gene in a case-control study J. Vendrell, M. Broch, J. M. Fernandez-Real, C. Gutiérrez, I. Simón, A. Megia, L. Gallart, W. Ricart, C. Richart
- 393 Electrical spinal cord stimulation in the long-term treatment of chronic painful diabetic neuropathy C. Daousi, S. J. Benbow, I. A. MacFarlane
- 399 A long-term comparison of pioglitazone and gliclazide in patients with Type 2 diabetes mellitus: a randomized, double-blind, parallel-group comparison trial B. H. Charbonnel, D. R. Matthews, G. Scherthaner, M. Hanefeld, P. Brunetti on behalf of the QUARTET Study Group
- 406 Preserved insulin response to tolbutamide in hepatocyte nuclear factor-1 $\alpha$  mutation carriers J. V. Sagen, E. R. Pearson, A. Johansen, G. Spyer, O. Sovik, O. Pedersen, P. R. Njolstad, A. T. Hattersley, T. Hansen
- 410 Teaching and motivating patients to control their risk factors retards progression of cardiovascular as well as microvascular sequelae of Type 2 diabetes mellitus—a randomized prospective 8 years follow-up study R. Rachmani, I. Slavachevski, M. Berla, R. Frommer-Shapira, M. Ravid
- 415 Role of habit in adherence to medical treatment G. Reach
- 421 School attendance in children with Type 1 diabetes L. A. Glaab, R. Brown, D. Daneman
- 427 Is the relationship between adherence behaviours and glycaemic control bi-directional at adolescence? A longitudinal cohort study L. Du Pasquier-Fediaevsky, A. J. Chwalow, the PEDIAB Collaborative Group, N. Tubiana-Rufi

- 434 Effect of maternal diabetes on phosphorylation of insulin-like growth factor binding protein-1 in cord serum M. Loukovaara, P. Leinonen, K. Teramo, E. Nurminen, S. Andersson, E.-M. Rutanen
- 440 Birthweight and other pregnancy outcomes in a cohort of women with pre-gestational insulin-treated diabetes mellitus, Scotland, 1979-95 I. dos Santos Silva, C. Higgins, A. J. Sverdlow, S. P. Laing, S. D. Slater, D. W. M. Pearson, A. D. Morris
- 448 Autoantibodies to GAD and IA-2 in Saudi Arabian diabetic patients L. H. Damanhour, J. A. Dromey, M. R. Christie, H. A. Nasrat, M. S. M. Ardawi, R. A. Robins, I. Todd
- 453 Increased renal glucose metabolism in Type 1 diabetes mellitus C. Meyer, A. Tolia, D. Platanisiotis, M. Stumvoll, L. Vlachos, A. Mitrakou
- 460 Transcutaneous oxygen tension monitoring after successful revascularization in diabetic patients with ischaemic foot ulcers A. Caselli, V. Latini, A. Lapenna, S. Di Carlo, F. Pirozzi, A. Benvenuto, L. Uccioli
- 466 Clinical characteristics of diabetic ketoacidosis in Korea over the past two decades S.-H. Ko, W.-Y. Lee, J.-H. Lee, H.-S. Kwon, J.-M. Lee, S.-R. Kim, S.-D. Moon, K.-H. Song, J.-H. Han, Y.-B. Ahn, S.-J. Yoo, H.-Y. Son
- 470  $\alpha$ -Glucosidase inhibition (acarbose) fails to enhance secretion of glucagon-like peptide 1 (7-36 amide) and to delay gastric emptying in Type 2 diabetic patients K. Hücking, Z. Kostic, C. Pox, R. Ritzel, J. J. Holst, W. Schmiegel, M. A. Nauck
- 477 Prevalence and risk factors for stroke in Type 2 diabetic patients in Taiwan: a cross-sectional survey of a national sample by telephone interview C.-H. Tseng, C.-K. Chong, J.-J. Sheu, T.-H. Wu, C.-P. Tseng
- 483 Does aerobic fitness influence microvascular function in healthy adults at risk of developing Type 2 diabetes? A. R. Middlebrooke, N. Armstrong, J. R. Welsman, A. C. Shore, P. Clark, K. M. MacLeod
- Epidemiology**
- 490 Criteria for previously undiagnosed diabetes and risk of mortality: 15-year follow-up of the Edinburgh Artery Study cohort S. H. Wild, F. B. Smith, A. J. Lee, F. G. R. Fowkes
- 497 Reduced cardiovascular morbidity and mortality associated with metformin use in subjects with Type 2 diabetes J. A. Johnson, S. H. Simpson, E. L. Toth, S. R. Majumdar
- Short report**
- 503 Dysfunction of the cyclo-oxygenase pathway in the foetoplacental circulation in Type 1 diabetes mellitus T. M. Bisseling, A. C. Wouterse, E. A. P. Steegers, L. Elving, F. G. M. Russel, P. Smits
- Letters**
- 507 The introduction of a specific request form for the diagnosis of gestational diabetes (GDM) improves understanding of GDM amongst clinicians but does not increase its detection P. Clarke, P. Norman, M. A. G. Coleman, R. I. G. Holt
- 508 Association between fasting glucose and C-reactive protein in middle-aged subjects B. J. Boucher, P. M. Timms, G. A. Hitman
- 509 Reply D. Aronson, Y. Levy
- 509 Prognostic value of admission plasma glucose and HbA<sub>1c</sub> in acute myocardial infarction G. Oswald, J. S. Yudkin
- 510 Re: Maintaining glycaemic control during high-dose prednisolone administration in Type 1 diabetes A. C. Felix Burden
- 510 A new cause of neuroglycopenia: 'missing the point'—impaired visual function during acute hypoglycaemia A. J. Sommerfield, B. M. Frier
- 511 In response to 'variations in glucose self-monitoring during oral hypoglycaemic therapy in primary care' A. Farmer, A. Neil
- Book reviews**
- 513 Textbook of Diabetes and Pregnancy R. Fraser
- 513 The Metabolic Syndrome: Diabetes, Obesity Hyperlipidemia and Hypertension C. D. Byrne
- 514 DM Diary
- 
- May 2005 Number 5**
- Editorial**
- 515 Cerebral metabolic alterations in children with diabetic ketoacidosis N. S. Glaser, M. H. Buonocore
- Review article**
- 517 Genetics of Type 2 diabetes I. Barroso
- Original articles**
- 536 Impact of hormone replacement therapy on microvascular function in healthy and Type 2 diabetic postmenopausal women K. M. Gooding, K. M. MacLeod, G. Spyer, P. Ewings, J. E. Tookey, A. C. Shore
- 543 Diabetes, hyperglycaemia and mortality in disabled older women: The Women's Health and Ageing Study I C. S. Blaum, S. Volpato, A. R. Cappola, P. Chaves, Q. L. Xue, J. M. Guralnik, L. P. Fried
- 551 Predictors of first stroke in Type 1 diabetes: The Fremantle Diabetes Study T. M. E. Davis, D. G. Bruce, W. A. Davis
- 554 Prognostic value of the Framingham cardiovascular risk equation and the UKPDS risk engine for coronary heart disease in newly diagnosed Type 2 diabetes: results from a United Kingdom study R. N. Gurdner, W. Gatling, M. A. Mullee, R. L. Mehta, C. D. Byrne
- 563 Abnormal ventilatory responses to hypoxia in Type 2 diabetes C. J. Weisbrod, P. R. Eastwood, G. O'Driscoll, D. J. Green
- 569 Genetic association study of adiponectin polymorphisms with risk of Type 2 diabetes mellitus in Korean population Y. Y. Lee, N. S. Lee, Y. M. Cho, M. K. Moon, H. S. Jung, Y. J. Park, H. J. Park, B. S. Youn, H. K. Lee, K. S. Park, H. D. Shin
- 576 Effect of diabetes mellitus and its treatment on ventricular arrhythmias complicating acute myocardial infarction J. S. Rana, K. J. Mukamal, R. W. Nesto, J. P. Morgan, J. E. Muller, M. A. Mittleman
- 583 Resistin polymorphisms are associated with cerebrovascular disease in Finnish Type 2 diabetic patients A. Kunnari, O. Ukkola, Y. A. Kesäniemi
- 590 Common variants in the ATP-sensitive K<sup>+</sup> channel genes KCNJ11 (Kir6.2) and ABCC8 (SUR1) in relation to glucose intolerance: population-based studies and meta-analyses R. M. van Dam, B. Hoebee, J. C. Seidell, M. M. Schaap, T. W. A. de Bruin, E. J. M. Feskens

- 599 A multivariate logistic regression equation to screen for dysglycaemia: development and validation *B. P. Tabaei, M. M. Engelgau, W. H. Herman*
- 606 Insulin aspart improves meal time glycaemic control in patients with Type 2 diabetes: a randomized, stratified, double-blind and cross-over trial *G. Perriello, S. Pampanelli, F. Porcellati, A. Avogaro, E. Bosi, G. Petrella, S. Squatrito, S. Furneri, G. Marra, L. Vitali, M. Previti, D. Cucinotta*
- 612 A randomized study of orlistat in combination with a weight management programme in obese patients with Type 2 diabetes treated with metformin *C. Berne on behalf of the Orlistat Swedish Type 2 diabetes Study Group*
- 619 Changing patterns of primary care for diabetes in Trinidad and Tobago over 10 years *D. Mahabir, M. C. Gulliford*
- 625 Lifetime risk of symptomatic carpal tunnel syndrome in Type 1 diabetes *R. Singh, G. Gamble, T. Cundy*
- 631 Rodent bites on the feet of diabetes patients in Tanzania *Z. G. Abbas, J. Lutale, L. K. Archibald*
- 634 Continuing metformin when starting insulin in patients with Type 2 diabetes: a double-blind randomized placebo-controlled trial *I. F. Douek, S. E. Allen, P. Ewings, E. A. M. Gale, P. J. Bingley for the Metformin Trial Group*
- Case reports**
- 641 A case of novel de novo paired box gene 6 (PAX6) mutation with early-onset diabetes mellitus and aniridia *M. Nishi, M. Sasahara, T. Shono, S. Saika, Y. Yamamoto, K. Ohkawa, H. Furuta, T. Nakao, H. Sasaki, K. Nanjo*
- 645 Childhood diabetes presenting with hyperosmolar dehydration but without ketoacidosis: a report of three cases *M. J. R. Kershaw, T. Newton, T. G. Barrett, K. Berry, J. Kirk*
- Short reports**
- 648 Insights into the acute cerebral metabolic changes associated with childhood diabetes *F. J. Cameron, M. J. Kean, R. M. Wellard, G. A. Werther, J. J. Neil, T. E. Inder*
- 654 Inhibition of dipeptidyl peptidase IV activity by oral metformin in Type 2 diabetes *J. R. Lindsay, N. A. Duffy, A. M. McKillop, J. Ardill, F. P. M. O'Harte, P. R. Flatt, P. M. Bell*
- 658 Awareness and use of smoking cessation treatments among diabetic patients *G. V. Gill, C. Morgan, I. A. MacFarlane*
- Letters**
- 661 Interleukin-12B gene polymorphism is associated with circulating oxidized LDL levels in Japanese Type 2 diabetic patients *Y. Ikeda, T. Suehiro, F. Osaki, S. Tsuzura, K. Arii, Y. Kumon, K. Hashimoto*
- 662 Patients with Type 2 diabetes treated with metformin: prevalence of contraindications and their correlation with discontinuation *I. Rakovac, K. Jeitler, R. J. Gfrerer, W. Habacher, S. Seereiner, P. Mrak, T. R. Pieber for the FQSD Austria*
- 664 Type 2 diabetes and hearing loss in black Africans *F. E. Ologe, E. O. Okoro*
- 665 Cardiovascular therapies and their role in diabetic eye disease *A. K. O. Denniston, S. Banerjee, J. M. Gibson, P. M. Dodson*
- 666 Rosiglitazone improves insulin sensitivity, glucose tolerance and ambulatory blood pressure in subjects with impaired glucose tolerance: does it really work? If yes, is it a novelty? *A. V. Ciardullo*

- 667 Reply *S. M. A. Bennett, M. Heise, N. P. Jones, M. Walker, J. P. H. Wilding*

#### Book reviews

- 668 Type 2 Diabetes in Childhood and Adolescence: A Global Perspective *H. Dean*
- 668 Management of Diabetic Nephropathy *S. M. Marshall*
- 669 Diabetic Complications: New Diagnostic Tools and Therapeutic Advances *D. R. McCance*
- 670 DM Diary

## June 2005 Number 6

#### Editorial

- 671 Diabetes patient education: time for a new era *G. Rutten*

#### Review article

- 674 Molecular mechanisms of insulin resistance *S. Schinner, W. A. Scherbaum, S. R. Bornstein, A. Barthel*

#### Original articles

- 683 Setting and negotiating blood sugar and blood pressure targets with people with Type 2 diabetes in primary care: a cross sectional survey *J. Stewart, D. Kendrick on behalf of the Nottingham Diabetes Blood Pressure Study Group*
- 688 Dissemination of 'patient-oriented evidence that matters' on the Internet: the case of Type 2 diabetes treatment *G. Giménez-Pérez, A. Caixàs, O. Giménez-Palop, J. M. González-Clemente, D. Mauricio*
- 693 Risk of specific congenital abnormalities in offspring of women with diabetes *G. L. Nielsen, B. Norgard, E. Puho, K. J. Rothman, H. T. Sorensen, A. E. Czeizel*
- 697 The contribution of nitric oxide and vasodilatory prostanooids to bradykinin-mediated vasodilation in Type 1 diabetes *F. Wotherspoon, D. L. Browne, D. R. Meeking, S. E. Allard, L. J. Munday, K. M. Shaw, M. H. Cummings*
- 703 Endothelial function, insulin action and cardiovascular risk factors in young healthy adult offspring of parents with Type 2 diabetes: effect of vitamin E in a randomized double-blind, controlled clinical trial *P. T. McSorley, P. M. Bell, I. S. Young, A. B. Atkinson, B. Sheridan, J. P. H. Fee, D. R. McCance*
- 711 Prevalence of diabetes complications 6 years after diagnosis in an incident cohort of childhood diabetes *K. C. Donaghue, M. E. Craig, A. K. F. Chan, J. M. Fairchild, J. M. Cusumano, C. F. Verge, P. A. Crock, S. J. Hing, N. J. Howard, M. Silink*
- 719 Interleukin-8, monocyte chemoattractant protein-1 and IL-10 in the vitreous fluid of patients with proliferative diabetic retinopathy *C. Hernández, R. M. Segura, A. Fonollosa, E. Carrasco, G. Francisco, R. Simó*
- 723 Nephropathy, but not retinopathy, is associated with the development of heart disease in Type 1 diabetes: a 12-year observation study of 462 patients *O. Torffvit, M. Lövestam-Adrian, E. Agardh, C.-D. Agardh*
- 730 Left ventricular diastolic dysfunction in patients with chronic renal failure: impact of diabetes mellitus *J. Miyazato, T. Horio, S. Takiuchi, K. Kamide, O. Sasaki, S. Nakamura, H. Nakahama, T. Inenaga, S. Takishita, Y. Kawano*



- 737 Association analysis of the variant in the regulatory subunit of phosphoinositide 3-kinase (p85 $\alpha$ ) with Type 2 diabetes mellitus and hypertension in the Chinese Han population S. Chen, W. Yan, J. Huang, D. Ge, Z. Yao, D. Gu
- 744 The SPINK1 N34S mutation is not associated with Type 2 diabetes mellitus in a population of the USA A. Schneider, E. C. Lawrence, M. M. Barmada, J. M. Norris, R. F. Hamman, J. A. Marshall, R. E. Ferrell, D. C. Whitcomb
- 749 Frequency and predictors of hypoglycaemia in Type 1 and insulin-treated Type 2 diabetes: a population-based study L. A. Donnelly, A. D. Morris, B. M. Frier, J. D. Ellis, P. T. Dorman, R. Durrant, M. M. Band, G. Reekie, G. P. Leese for the DARTS/MEMO Collaboration
- 756 Calcaneal bone mineral density in patients with Charcot neuropathic osteoarthropathy: differences between Type 1 and Type 2 diabetes N. L. Petrova, A. V. M. Foster, M. E. Edmonds
- 762 Plantar pressure distribution in Type 2 diabetic patients without peripheral neuropathy and peripheral vascular disease Z. Pataky, J.-P. Assal, P. Conne, H. Vuagnat, A. Golay
- 768 Human plasma phospholipid transfer protein activity is decreased by acute hyperglycaemia: studies without and with hyperinsulinaemia in Type 1 diabetes mellitus P. H. N. Oomen, A. van Tol, H. Hattori, A. J. Smit, L. M. Scheek, R. P. F. Dullaart
- Epidemiology**
- 775 Pre-gestational maternal body mass index predicts an increased risk of congenital malformations in infants of mothers with gestational diabetes M. L. Martinez-Frias, J. P. Frias, E. Bermejo, E. Rodriguez-Pinilla, L. Prieto, J. L. Frias
- 782 Association between MspI polymorphism of the APO AI gene and Type 2 diabetes mellitus S. Morcillo, F. Cardona, G. Rojo-Martinez, I. Esteve, M. S. Ruiz-de-Adana, F. Tinahones, J. M. Gómez-Zumaquero, F. Soriguer
- 789 Prevalence of undiagnosed Type 2 diabetes and impaired fasting glucose in older British men and women M. C. Thomas, M. K. Walker, J. R. Emberson, A. G. Thomson, D. A. Lawlor, S. Ebrahim, P. H. Whincup
- Clinical practice**
- 794 Quality assurance for diabetic retinopathy telescreening S. Schneider, S. J. Aldington, E. M. Kohner, S. Luzio, D. R. Owens, V. Schmidt, H. Schuell, G. Zablmann
- Short reports**
- 803 Congenital anomaly rate in offspring of mothers with diabetes treated with insulin lispro during pregnancy J. W. Wyatt, J. L. Frias, H. E. Hoyme, L. Jovanovic, R. Kaaja, F. Brouen, S. Garg, A. Lee-Parritz, E. W. Seely, L. Kerr, V. Mattoo, M. Tan, the IONS study group
- 808 Avoiding milk is associated with a reduced risk of insulin resistance and the metabolic syndrome: findings from the British Women's Heart and Health Study D. A. Lawlor, S. Ebrahim, N. Timpson, G. Davey Smith
- Letters**
- 812 Promoting targeted screening for Type 2 diabetes mellitus: the contribution of community pharmacists S. Simoes, E. Foulon, M. Dethier, C. Mathieu, G. Laekeman
- 813 An atypical case of acute ischaemic monomelic neuropathy post vascular access surgery in a patient with Type 1 diabetes mellitus A. M. Breman, B. McNamara, W. D. Plant, D. J. O'Halloran
- 814 Successful treatment of Type B insulin resistance in a patient with otherwise quiescent systemic lupus erythematosus A. P. Coll, D. Morganstein, D. Jayne, M. A. Soos, S. O'Rahilly, J. Burke
- Book reviews**
- 816 Diabetic Foot—A Clinical Atlas N. Creagh
- 816 Emergencies in diabetes diagnosis, management and prevention S. Page
- 817 Handbook of Diabetes, 3rd edn A. Advani
- 818 Corrigendum
- 818 Erratum
- 819 DM Diary
- 
- July 2005 Number 7**
- Review article**
- 821 Nutrition in patients with Type 2 diabetes: are low-carbohydrate diets effective, safe or desirable? R. L. Kennedy, K. Chokkalingam, H. R. Farshchi
- Original articles**
- 833 Screening for diabetes in Indigenous populations using glycated haemoglobin: sensitivity, specificity, post-test likelihood and risk of disease K. G. Rowley, M. Daniel, K. O'Dea
- 840 An assessment of the coverage of a district-wide diabetic retinopathy screening service H. N. Buch, D. M. Barton, G. I. Varughese, S. Bradbury, J. H. B. Scarpello, A. B. Walker
- 842 Indications and efficacy of continuous subcutaneous insulin infusion (CSII) therapy in Type 1 diabetes mellitus: a clinical audit in a specialist service I. A. S. Rodrigues, H. A. Reid, K. Ismail, S. A. Amiel
- 850 Comparison of three multiple injection regimens for Type 1 diabetes: morning plus dinner or bedtime administration of insulin detemir vs. morning plus bedtime NPH insulin T. R. Pieber, E. Draeger, A. Kristensen, V. Grill
- 858 Reproducibility and reliability of hypoglycaemic episodes recorded with Continuous Glucose Monitoring System (CGMS) in daily life T. Høj-Hansen, U. Pedersen-Bjergaard, B. Thorsteinsson
- 863 Association of C-reactive protein with body fat, diabetes and coronary artery disease in Asian Indians: The Chennai Urban Rural Epidemiology Study (CURES-6) V. Mohan, R. Deepa, K. Velmurugan, G. Premalatha
- 871 Impaired vascular function during short-term poor glycaemic control in Type 1 diabetic patients V. R. Sorensen, E. R. Mathiesen, P. Clausen, A. Flyvbjerg, B. Feldt-Rasmussen
- 877 Lower plasma triglycerides are associated with increased need for insulin requirement in poorly controlled Type 2 diabetic patients V. Rigalleau, L. Baillet-Blanco, C. Perlemoine, L.-R. Salmi, H. Gin
- 882 ADVANCE—Action in Diabetes and Vascular Disease: patient recruitment and characteristics of the study population at baseline ADVANCE Collaborative Group
- 889 Prospective screening for biopsy proven coeliac disease, autoimmunity and malabsorption markers in Belgian subjects with Type 1 diabetes M. Buysschaert, J. P. Tomasi, M. P. Hermans

- 893 Physical activity and energy intake in adolescent girls with Type 1 diabetes *S. Särnblad, U. Ekelund, J. Aman*
- 900 Self-monitoring of blood glucose in non-insulin-treated diabetic patients: a longitudinal evaluation of its impact on metabolic control *M. Franciosi, F. Pellegrini, G. De Berardis, M. Belfiglio, B. Di Nardo, S. Greenfield, S. H. Kaplan, M. C. E. Rossi, M. Sacco, G. Tognoni, M. Valentini, A. Nicolucci for The QuED Study Group—quality of care and outcomes in Type 2 diabetes*
- 907 Does metformin decrease blood pressure in patients with Type 2 diabetes intensively treated with insulin? *M. G. Wulffélé, A. Kooy, P. Lebert, D. Bets, A. J. M. Donker, C. D. A. Stehouwer*
- 914 Fetal erythrocyte membrane lipids modification: preliminary observation of an early sign of compromised insulin sensitivity in offspring of gestational diabetic women *Y. Min, C. Louy, K. Ghehremeskel, B. Thomas, D. Bitsanis, M. A. Crawford*

# Epidemiology

- 921 The association of birthweight and contemporary size with insulin resistance among children from Estonia and Denmark: findings from the European Youth Heart Study *D. A. Latelov, C. J. Riddoch, A. S. Page, S. A. Anderssen, K. Froberg, M. Harro, D. Stansbie, G. Davey Smith*
- 931 Type 2 diabetes in rural and urban population: diverse prevalence and associated risk factors in Bangladesh *A. Hussain, M. A. Rahim, A. K. Azad Khan, S. M. K. Ali, S. Vaaler*

# Clinical practice

- 937 Management of incidental hyperglycaemia in acute medical emergencies *A. Al-Bermani, Y. H. Desha, J. Morgan, R. Soobrah, C. S. Symonds, R. Taylor*

# Short reports

- 942 Depression in Croatian Type 2 diabetic patients: prevalence and risk factors. A Croatian survey from the European Depression in Diabetes (EDID) Research Consortium *M. Pibernik-Okanovic, K. Peros, S. Szabo, D. Begic, Z. Metelko*
- 946 Studies of relationships between the GLUT10 Ala206Thr polymorphism and impaired insulin secretion *C. S. Rose, G. Andersen, Y. H. Hamid, C. Glimmer, T. Drivsholm, K. Borch-Johnsen, T. Jorgensen, O. Pedersen, T. Hansen*
- 950 No consistent association between birthweight and parental risk of diabetes and cardiovascular disease *J. Adams, M. S. Pearce, M. White, N. C. Unwin, L. Parker*

# Letters

- 954 Gender influences the impact of sickle cell trait on Type 2 diabetic complications *A. A. L. Ajayi*
- 954 Contribution of fasting and postprandial plasma glucose to HbA<sub>1c</sub> *R. L. Ollerton, S. D. Luzio, D. R. Owens*
- 955 Diabetes and endocrinology as a career? A questionnaire survey of medical senior house officers *K. S. Higgins*
- 957 Malignant melanoma presenting as foot ulcer *M.-F. Kong, R. Jogia, B. T. Srinivasan, S. Jackson*
- 957 Viruses and diabetes *K. W. Taylor*
- 958 Reply *E. A. M. Gale, M. Atkinson*
- 959 Cognitive impairment following severe hypoglycaemia: response to Kubiak *et al.* *M. W. J. Strachan, B. M. Frier*

# Book reviews

- 960 The kidney and hypertension in diabetes mellitus, 6th Edition *J. Walker*
- 960 Unstable and Brittle Diabetes *R. Gregory*
- 961 Staged Diabetes Management, 2nd Edition *A. Kilvert, C. Fox*
- 962 DM Diary

# August 2005 Number 8

# Review article

- 963  $\beta$ -cell preservation: a potential role for thiazolidinediones to improve clinical care in Type 2 diabetes *L. A. Leiter*

# Original articles

- 973 Changes in liver tests during 1-year treatment of patients with Type 2 diabetes with pioglitazone, metformin or gliclazide *G. Belcher, G. Schernthaner*
- 980 Comparison of metabolic effects of pioglitazone, metformin, and glimepiride over 1 year in Japanese patients with newly diagnosed Type 2 diabetes *T. Yamanouchi, T. Sakai, K. Igarashi, K. Ichihayashi, H. Watanabe, T. Kawasaki*
- 986 Pioglitazone initiation and subsequent hospitalization for congestive heart failure *A. J. Karter, A. T. Ahmed, J. Liu, H. H. Moffet, M. M. Parker*
- 994 Clinical characteristics of mutation carriers in a large family with glucokinase diabetes (MODY2) *N. Shehadeh, D. Bakri, P. R. Njolstad, R. Gershoni-Baruch*
- 999 Increased plasma markers of inflammation and endothelial dysfunction and their association with microvascular complications in Type 1 diabetic patients without clinically manifest macroangiopathy *G. Targher, L. Bertolini, G. Zoppini, L. Zenari, G. Falezza*
- 1005 Impairment of cardiac function in hypertensive patients with Type 2 diabetes: a LIFE study *P. Hildebrandt, K. Wachtell, B. Dahlöf, V. Papadimitriou, E. Gerds, T. Giles, L. Oikarinen, C. Tuxen, M. H. Olsen, R. B. Devereux*
- 1012 Diagnostic screening of NEURODI (MODY6) in subjects with MODY or gestational diabetes mellitus *J. V. Sagen, M. E. Baumann, H. B. Salvesen, A. Molven, O. Sovik, P. R. Njolstad*
- 1016 Effects of liraglutide (NN2211), a long-acting GLP-1 analogue, on glycaemic control and bodyweight in subjects with Type 2 diabetes *M. N. Feinglos, M. F. Saad, F. X. Pi-Sunyer, B. An, O. Santiago on behalf of the Liraglutide Dose-Response Study Group*
- 1024 Sibutramine improves insulin sensitivity without alteration of serum adiponectin in obese subjects with Type 2 diabetes *Y.-J. Hung, Y.-C. Chen, D. Pei, S.-W. Kuo, C.-H. Hsieh, L.-Y. Wu, C.-T. He, C. H. Lee, S. C. Fan, W. H.-H. Sheu*
- 1031 Reporting of diabetes on death certificates using data from the UK Prospective Diabetes Study *M. J. Thomason, J. P. Biddulph, C. A. Cull, R. R. Holman*
- 1037 Insulin pump therapy vs. multiple daily injections in obese Type 2 diabetic patients *J. Wainstein, M. Metzger, M. Boaz, O. Mimchin, Y. Cohen, A. Yaffe, Y. Verushalmy, I. Raz, I. Harman-Boehm*

- 1047 Socio-economic inequalities in the prevalence of Type 2 diabetes, cardiovascular risk factors and chronic diabetic complications in the Basque Country, Spain I. Larrañaga, J. M. Arteagoitia, J. L. Rodriguez, F. Gonzalez, S. Esnaola, J. A. Piniés, the Sentinel Practice Network of the Basque Country
- 1054 Association of angiotensin-converting enzyme DD genotype with 24-h blood pressure abnormalities in normoalbuminuric children and adolescents with Type 1 diabetes L. Barkai, A. Soós, I. Vámosi
- 1060 Does close glycaemic control promote healing in diabetic foot ulcers? Report of a feasibility study I. Idris, F. Game, W. Jeffcoate
- 1064 The effect of manipulation of basal pulsatile insulin on insulin action in Type 2 diabetes S. Au, C. H. Courtney, C. N. Ennis, B. Sheridan, A. B. Atkinson, P. M. Bell
- 1072 High prevalence and severity of cardiac autonomic neuropathy in Vietnamese diabetic patients N. N'Guyen Thi, J. Paries, J. R. Attali, P. Valensi
- 1079 Coeliac disease in children with Type 1 diabetes mellitus: the effect of the gluten-free diet I. Sanchez-Albisua, J. Wolf, A. Neu, H. Geiger, I. Wäscher, M. Stern
- 1083 Patterns of care as a risk factor for the development of vision-threatening diabetic retinopathy: a population-based matched case-control study using insurance claims (Medicare) data N. J. Orr, S. C. Boyages
- Epidemiology**
- 1091 Clustering of protective factors for glucose intolerance and insulin resistance: a cross-sectional study I. J. Perry, R. Villegas, A. Salim, A. Flynn
- Case report**
- 1098 Cerebral cortical laminar necrosis on diffusion-weighted MRI in hypoglycaemic encephalopathy Y. Yoneda, S. Yamamoto
- Short reports**
- 1101 Long-term effects of pioglitazone and metformin on insulin sensitivity in patients with Type 2 diabetes mellitus M. Roden, M. Laakso, D. Johns, M. Widel, R. Urquhart, C. Richardson, S. Mariz, M. H. Tan
- 1107 Increases in body mass index, even within non-obese levels, raise the risk for Type 2 diabetes mellitus: a follow-up study in a Japanese population T. Nagaya, H. Yoshida, H. Takahashi, M. Kawai
- 1112 Implementation of national diabetes retinal screening programme is associated with a lower proportion of patients referred to ophthalmology G. P. Leese, A. D. Morris, K. Swaminathan, J. R. Petrie, R. Sinharay, A. Ellingford, A. Taylor, R. T. Jung, R. W. Newton, J. D. Ellis
- 1116 Nurse case manager effectiveness and case load in a large clinical practice: implications for workforce development C. Wilson, J. Curtis, S. Lipke, C. Bochenski, S. Gilliland
- Letters**
- 1121 Suspected toxicity from an iodoform preparation in a diabetic patient with multiple foot ulcers Y. Matsumura, A. Tsuji, J. Izawa, A. Kumakura, M. Hiramatsu, K. Kogo, K. Takahashi, Y. Inoue, H. Harada, N. Tonoizuka
- 1122 Insulin sensitivity and fibrinogen concentrations in normoglycaemic offspring of Type 2 diabetic parents I. G. Habeos, A. Theodoropoulou, M. Michalaki, V. Kyriazopoulou, A. G. Vagenakis, A. Psyrriannisi
- 1123 Onset of  $\beta$ -cell autoimmunity is not associated with elevated concentration of C-reactive protein in children at genetic risk for Type 1 diabetes M. E. Waris, J. O. Koskinen, O. Simell, M. Knip, J. Ilonen
- 1124 Fungal infection in diabetic foot ulcers E. Mlinaric Missoni, M. Vukelic, D. de Soy, M. Belicza, V. Vazic Babic, E. Missoni
- 1125 New-onset diabetes after kidney transplantation R. Giannarelli, A. Coppelli, U. Boggi, G. Rizzo, M. Barsotti, G. Palaeologo, C. Tregnaghi, F. Mosca, S. Del Prato, P. Marchetti
- Book reviews**
- 1127 Diabetes and the Kidney J. Harvey
- 1127 Diabetes and Laboratory Medicine A. S. Hutchison
- 1128 DM Diary

## September 2005 Number 9

### Review article

- 1129 Recent concepts in non-alcoholic fatty liver disease L. A. Adams, P. Angulo

### Original articles

- 1134 Serum  $\gamma$ -glutamyltransferase within its normal concentration range is related to the presence of diabetes and cardiovascular risk factors D.-J. Kim, J.-H. Noh, N.-H. Cho, B.-W. Lee, Y.-H. Choi, J.-H. Jung, Y.-K. Min, M.-S. Lee, M.-K. Lee, K.-W. Kim
- 1141 Prevalence of non-alcoholic fatty liver disease and its association with impaired glucose metabolism in Japanese adults S. Jimba, T. Nakagami, M. Takahashi, T. Wakamatsu, Y. Hirota, Y. Iwamoto, T. Wasada
- 1146 Relationship of non-alcoholic hepatic steatosis to cortisol secretion in diet-controlled Type 2 diabetic patients G. Targher, L. Bertolini, G. Zoppini, L. Zenari, G. Falezza
- 1151 Telomere shortening occurs in Asian Indian Type 2 diabetic patients A. Adaikalakoteswari, M. Balasubramanyam, V. Mohan
- 1157 Large-scale studies of the Leu72Met polymorphism of the ghrelin gene in relation to the metabolic syndrome and associated quantitative traits C. Bing, L. Ambye, M. Fenger, T. Jorgensen, K. Borch-Johnsen, S. Madsbad, S. A. Urhammer
- 1161 Genetic polymorphisms in peroxisome proliferator-activated receptor  $\gamma$  are associated with Type 2 diabetes mellitus and obesity in the Korean population M. K. Moon, Y. M. Cho, H. S. Jung, Y. J. Park, K. H. Yoon, Y. A. Sung, B. L. Park, H. K. Lee, K. S. Park, H. D. Shin
- 1167 The presence of allele D of angiotensin-converting enzyme polymorphism is associated with diabetic nephropathy in patients with less than 10 years duration of Type 2 diabetes L. H. Canani, L. A. Costa, D. Crispim, K. Gonçalves dos Santos, I. Roisenberg, H. R. K. Lisboa, G. Sarturi Tres, A. L. Maia, J. L. Gross
- 1173 The comparison of venous plasma glucose and whole blood capillary glucose in diagnoses of Type 2 diabetes: a population-based screening study A. Sandbæk, T. Lauritzen, K. Borch-Johnsen, K. Mai, J. S. Christiansen
- 1178 Hyperproinsulinaemia and risk of Type 2 diabetes mellitus in women M. B. Schulze, C. G. Solomon, N. Rifai, R. M. Cohen, J. Sparrow, F. B. Hu, J. E. Manson



- 1185 Plasma nitrotyrosine levels, antioxidant vitamins and hyperglycaemia S. Bo, R. Gambino, S. Guidi, B. Silli, L. Gentile, M. Cassader, G. F. Pagano
- 1190 Low serum concentration of sulfatide and presence of sulfated lactosylceramide are associated with Type 2 diabetes. The Skaraborg Project K. Buschard, P. Fredman, E. Bog-Hansen, M. Blomqvist, J. Hedner, L. Råstam, U. Lindblad
- 1199 Long-term influences of body-weight changes, independent of the attained weight, on risk of impaired glucose tolerance and Type 2 diabetes E. Black, C. Holst, A. Astrup, S. Toubro, S. Echwald, O. Pedersen, T. I. A. Sorensen
- 1206 Association of physical inactivity with components of metabolic syndrome and coronary artery disease—the Chennai Urban Population Study (CUPS no. 15) V. Mohan, K. Gokulakrishnan, R. Deepa, C. S. Shanthirani, M. Datta
- 1212 Glucose intolerance is associated with C-reactive protein and intima-media anatomy of the common carotid artery in patients with coronary heart disease L. Henareh, T. Jogestrand, S. Agevall
- 1218 Left ventricular dysfunction in hypertensive patients with Type 2 diabetes mellitus N. H. Andersen, S. H. Poulsen, P. L. Poulsen, S. T. Knudsen, K. Helleberg, K. W. Hansen, T. J. Berg, A. Flyvbjerg, C. E. Mogensen
- 1226 Comparison of processes and intermediate outcomes between South Asian and European patients with diabetes in Blackburn, north-west England P. McElduff, R. Edwards, J. A. Burns, R. J. Young, R. Heller, B. Long, G. Jones, J. P. New
- 1234 Can a screening programme for diabetes be applied to another population? C. Gliimer, K. Borch-Johnsen, S. Colagiuri
- 1239 Health-economic comparison of continuous subcutaneous insulin infusion with multiple daily injection for the treatment of Type 1 diabetes in the UK S. Roze, W. J. Valentine, K. E. Zakrzewska, A. J. Palmer
- 1246 Diabetes service provision: a qualitative study of newly diagnosed Type 2 diabetes patients' experiences and views J. Lawton, O. Parry, E. Peel, M. Douglas
- 1252 Hyperglycaemia and mortality of diabetic patients with candidaemia M. S. Bader, D. Hintorn, S. M. Lai, E. F. Ellerbeck
- 1258 Heel ulcers don't heal in diabetes. Or do they? S. Y. Chipchase, K. A. Treece, N. Pound, F. L. Game, W. J. Jeffcoate

# Epidemiology

- 1263 Relative role of major risk factors for Type 2 diabetes development in the historical cohort of the Brisighella Heart Study: an 8-year follow-up A. F. G. Cicero, A. Dormi, S. Nascetti, M. P. Panourgia, E. Grandi, S. D'Addato, A. Gaddi
- 1267 Diabetes and hypertension in pregnancy in a rural community of Bangladesh: a population-based study M. A. Sayeed, H. Mahtab, P. A. Khanam, R. Begum, A. Banu, A. K. Azad Khan

# Short reports

- 1272 Improved glycaemic control—an unintended benefit of a nurse-led cardiovascular risk reduction clinic A. Woodward, M. Wallymahmed, J. Wilding, G. Gill
- 1275 British South Asians aged 13–16 years have higher fasting glucose and insulin levels than Europeans P. H. Whincup, J. A. Gilg, C. G. Owen, K. Odoki, K. G. M. M. Alberti, D. G. Cook

- 1278 Antecedent hypoglycaemia attenuates vascular endothelial growth factor response to subsequent hypoglycaemia in healthy men V. Merl, A. Peters, K. M. Oltmanns, W. Kern, C. Hubold, H. L. Fehm, J. Born, B. Schultes
- 1282 Metformin reduces C-reactive protein but not complement factor C3 in overweight patients with Type 2 diabetes mellitus A. M. Carter, C. E. Bennett, J. A. Bostock, P. J. Grant

# Letters

- 1285 Cigarette smoking and prevention of Type 2 diabetes mellitus M. Gulliford
- 1286 Reply J. R. Tringham, K. K. Khunti, M. J. Davies
- 1287 Acute brain injury in hypoglycaemia-induced hemiplegia H. Ozer, D. Selcuk, S. Albayram
- 1287 Acute brain injury with hemiparesis due to hypoglycaemia D. M. Hemelsoet
- 1288 Reply Y. Ohshiro, N. Takasu
- 1289 Mortality and diabetic neuropathy G. Gill, P. Moulik
- 1289 Diabetic patients with a HbA<sub>1c</sub> of 6.7% feel better than patients with a HbA<sub>1c</sub> of 9.1% E. Kisch
- 1289 Hypoglycaemia and driving S. Robinson, A. Robinson
- 1290 Reply A. J. Graveling, R. E. Warren, B. M. Frier

# Book reviews

- 1291 Gastrointestinal Function in Diabetes Mellitus P. J. Weston
- 1291 Obesity and Diabetes M. Daly
- 1292 DM Diary

# October 2005 Number 10

# Editorial

- 1293 Ulcer-free survival in diabetic foot patients M. Edmonds, A. Foster

# Review article

- 1295 The effectiveness of family interventions in people with diabetes mellitus: a systematic review T. A. Armour, S. L. Norris, L. Jack Jr, X. Zhang, L. Fisher

# Original articles

- 1306 Ulcer-free survival following management of foot ulcers in diabetes N. Pound, S. Chipchase, K. Treece, F. Game, W. Jeffcoate
- 1310 Screening for peripheral arterial disease by means of the ankle-brachial index in newly diagnosed Type 2 diabetic patients E. Faglia, C. Caravaggi, R. Marchetti, R. Mingardi, A. Morabito, A. Piaggese, L. Uccioli, A. Ceriello (Coordinator) for the SCAR (SCreening for ARteriopathy) study group
- 1315 The association of aldose reductase gene (AKR1B1) polymorphisms with diabetic neuropathy in adolescents K. C. Donaghy, S. H. Margan, A. K. F. Chan, B. Holloway, M. Silink, T. Rangel, B. Bennetts
- 1321 The association between hyperglycaemia on admission and 180-day mortality in acute myocardial infarction patients with and without diabetes T. Ainla, A. Baburin, R. Teesalu, M. Rahu
- 1326 The impact of diabetes or elevated fasting blood glucose on cardiovascular prognosis in patients with stable angina pectoris C. Held, I. Björkander, L. Forslund, N. Rehnqvist, P. Hjelm Dahl

- 1334 Five-year risk of developing clinical diabetes after first myocardial infarction; the FINAMI study P. Pajunen, H. Konkkunen, M. Ketonen, T. Jerkkola, P. Immonen-Räihä, P. Kärjä-Koskenkari, M. Mähönen, M. Niemelä, K. Kuulasmaa, P. Palomäki, J. Mustonen, A. Lehtonen, M. Arstila, T. Vuorenmaa, S. Lehto, H. Miettinen, A. Juolevi, J. Torppa, J. Tuomilehto, Y. A. Kesäniemi, K. Pyörälä, V. Salomaa
- 1338 Hospitalization because of diabetes and bereavement: a national cohort study of parents who lost a child J. Olsen, J. Li, D. H. Precht
- 1343 Glycaemic control in relation to xanthine oxidase and antioxidant indices in Malaysian Type 2 diabetes patients U. R. Kuppusamy, M. Indran, P. Rokiab
- 1347 Inter-relationships between DNA damage, ascorbic acid and glycaemic control in Type 2 diabetes mellitus S. W. Choi, I. F. F. Benzie, C. S. Y. Lam, S. W. S. Chat, J. Lam, C. H. Yiu, J. J. Kwan, Y. H. Tang, G. S. P. Yeung, V. T. F. Yeung, G. C. Woo, B. M. Hannigan, J. J. Strain
- 1354 Non-alcoholic hepatic steatosis and its relation to increased plasma biomarkers of inflammation and endothelial dysfunction in non-diabetic men. Role of visceral adipose tissue G. Targher, L. Bertolini, L. Scala, G. Zoppini, L. Zenari, G. Falezza
- 1359 Heavy alcohol intake, homocysteine and Type 2 diabetes H. Sakuta, T. Suzuki, Y. Katayama, H. Yasuda, T. Ito
- 1364 Inequalities in glycaemic control in patients with Type 2 diabetes in primary care C. Bebb, D. Kendrick, J. Stewart, C. Coupland, R. Madeley, K. Brown, R. Burden, N. Sturrock for the Nottingham Diabetes Blood Pressure Study
- 1372 A systematic review of telemedicine interventions to support blood glucose self-monitoring in diabetes A. Farmer, O. J. Gibson, L. Tarassenko, A. Neil
- 1379 Psychosocial problems and barriers to improved diabetes management: results of the Cross-National Diabetes Attitudes, Wishes and Needs (DAWN) Study M. Peyrot, R. R. Rubin, T. Lauritzen, F. J. Snoek, D. R. Matthews, S. E. Skovlund on behalf of the International DAWN Advisory Panel
- 1386 Sources of evidence for systematic reviews of interventions in diabetes P. L. Royle, L. Bain, N. R. Waugh
- 1394 Effects of doxazosin on ambulatory blood pressure and sympathetic nervous activity in hypertensive Type 2 diabetic patients with overt nephropathy G. Yasuda, K. Hasegawa, T. Kuji, N. Ogawa, G. Shimura, S. Umemura, O. Tochikubo
- 1401 Decreased isometric muscle strength after acute hyperglycaemia in Type 1 diabetic patients H. Andersen, O. Schmitz, S. Nielsen
- 1408 Repaglinide treatment amplifies first-phase insulin secretion and high-frequency pulsatile insulin release in Type 2 diabetes M. Hollingdal, J. Sturis, M.-A. Gall, P. Damsbo, S. Pincus, J. D. Veldhuis, N. Porksen, O. Schmitz, C. B. Juhl
- 1414 Pathophysiology of ketoacidosis in Type 2 diabetes mellitus P. Linfoot, C. Bergstrom, E. Ipp
- Epidemiology**
- 1420 The gap between guidelines and reality: Type 2 diabetes in a national diabetes register 1996–2003 B. Eliasson, J. Cederholm, P. Nilsson, S. Gudbjörnsdóttir for the Steering Committee of the Swedish National Diabetes Register
- 1427 Prevalence of Type 2 diabetes in urban and rural Chinese populations in Qingdao, China Y. Dong, W. Gao, H. Nan, H. Yu, F. Li, W. Duan, Y. Wang, Bin Sun, R. Qian, J. Tuomilehto, Q. Qiao
- Clinical practice**
- 1434 Prediction of gestational diabetes mellitus in a high-risk group by insulin measurement in early pregnancy T. Bitó, I. Földesi, T. Nyári, A. Pál
- Case reports**
- 1440 Diabetic ketoacidosis associated with aripiprazole C. O. Church, D. L. Stevens, S. E. Fugate
- 1444 Early hypoglycaemia after accidental intramuscular injection of insulin glargine B. Karges, B. O. Boehm, W. Karges
- Short reports**
- 1446 Association between alcohol consumption and serum dehydroepiandrosterone sulphate concentration in men with Type 2 diabetes: a link to decreased cardiovascular risk M. Fukui, Y. Kitagawa, N. Nakamura, M. Kadono, G. Hasegawa, T. Yoshikawa
- 1451 Fulminant lactic acidosis in two patients with Type 2 diabetes treated with metformin R. Brasso, T. Elkmann, M. Hempel, C. H. Gravholt
- Letters**
- 1454 Patients with Type 2 diabetes and ischaemic heart disease have similar coronary flow reserve and endothelial function compared with non-diabetic patients with ischaemic heart disease S. K. S. Hoffmann, L. O. Jensen, P. Thaysen, J. E. Henriksen, H. Beck-Nielsen, T. Hagbøll
- 1455 Insulin allergy decreased by Humulin S (Humulin R) and not by insulin aspart or Actrapid Penfill (Penfill R) M. Katabira, I. Hara, T. Nishizaki
- 1457 Strong association of C-reactive protein with 2-h-post-challenge glucose in non-diabetic subjects with hypertension S. Lüders, J. Schrader, E. Pfarr, C. D. Sturm, W. D. Paar
- 1458 Is the 'Accelerator Hypothesis' worthy of our attention? T. Wilkin
- Book review**
- 1460 International Textbook of Diabetes Mellitus P. D. Home, E. M. Home
- 1461 DM Diary

## November 2005 Number 11

### Special report

- 1463 PROactive Study: (r)evolution in the therapy of diabetes? A. Ceriello

### Review article

- 1465 Fat food for a bad mood. Could we treat and prevent depression in Type 2 diabetes by means of  $\omega$ -3 polyunsaturated fatty acids? A review of the evidence F. Pouwer, G. Nijpels, A. T. Beekman, J. M. Dekker, R. M. van Dam, R. J. Heine, F. J. Snoek

### Original articles

- 1476 Are insulin resistance, impaired fasting glucose and impaired glucose tolerance all equally strongly related to age? The DECODE Study Group

- 1482 Evaluation of the association between the EQ-5D<sub>index</sub> (health-related utility) and body mass index (obesity) in hospital-treated people with Type 1 diabetes, Type 2 diabetes and with no diagnosed diabetes A. J. Lee, C. Li, Morgan, M. Morrissey, K. U. Wittrup-Jensen, T. Kennedy-Martin, C. J. Currie
  - 1487 Pilot study of the effects of local pressure on microvascular function in the diabetic foot D. J. Newton, S. P. Bennett, J. Fraser, F. Khan, J. F. Belch, G. Griffiths, G. P. Leese
  - 1492 Rural Vincentians' (Caribbean) beliefs about the usage of non-prescribable medicines for treating Type 2 diabetes M. C. Moss, J. R. S. McDowell
  - 1497 Diabetes screening anxiety and beliefs T. C. Skinner, M. J. Davies, A. M. Farooqi, J. Jarvis, J. R. Tringham, K. Khunti
  - 1503 Is pregnancy a risk factor for microvascular complications? The EURODIAB Prospective Complications Study O. Vèrier-Mine, N. Chaturvedi, D. Webb, J. H. Fuller and The EURODIAB Prospective Complications Study Group
  - 1510 Synergism between mutant HNF1A and the metabolic syndrome in Oji-Cree Type 2 diabetes R. L. Pollex, A. J. G. Hanley, B. Zimman, S. B. Harris, H. M. R. Khan, R. A. Hegele
  - 1516 Peroxisome proliferator-activated receptor- $\gamma$  co-activator-1 $\alpha$  (PGC-1 $\alpha$ ) gene polymorphisms and their relationship to Type 2 diabetes in Asian Indians K. S. Vimalaswaran, V. Radha, S. Ghosh, P. P. Majumder, R. Deepa, H. N. S. Babu, M. R. S. Rao, V. Mohan
  - 1522 Evaluation of a programme of group visits and computer-assisted consultations in the treatment of adolescents with Type 1 diabetes M. Graue, T. Wentzel-Larsen, B. R. Hanestad, O. Sovik
  - 1530 Prognostic significance of glycaemic control in patients with HBV and HCV-related cirrhosis and diabetes mellitus S. Y. Kwon, S. S. Kim, O. S. Kwon, K. A. Kwon, M. G. Chung, D. K. Park, Y. S. Kim, Y. S. Koo, Y. K. Kim, D. J. Choi, J. H. Kim
  - 1536 Evaluating the therapeutic approach in pregnancies complicated by borderline glucose intolerance: a randomized clinical trial M. Bonomo, D. Corica, E. Mion, D. Gonçalves, G. Motta, R. Merati, A. Ragusa, A. Morabito
  - 1542 Diabetes mellitus: clinical presentation and outcome in men and women with acute coronary syndromes. Data from the Euro Heart Survey ACS A. Dotevall, D. Hasdai, L. Wallentin, A. Battler, A. Rosengren
  - 1551 Increased risk of diabetes among relatives of female insulin-treated patients diagnosed at 15–34 years of age K. Åkesson, L. Nyström, L. Färnkvist, J. Östman, Å. Lernmark, I. Kockum and the DISS study group
  - 1558 Urinary albumin levels in the normal range determine arterial wall thickness in adults with Type 2 diabetes: a FIELD substudy A. C. Keech, S. M. Grieve, A. Patel, K. Griffiths, M. Skilton, G. F. Watts, T. H. Marwick, M. Groshens, D. S. Celermajer, for the FIELD Vascular Study Investigators
  - 1566 Factors associated with glycaemic outcome of childhood diabetes care in Denmark S. Nordly, H. B. Mortensen, A. H. Andreassen, N. Hermann, T. Jørgensen, on behalf of the Danish Study Group on Childhood Diabetes
  - 1574 Does parity increase insulin resistance during pregnancy? G. Seghieri, A. De Bellis, R. Anichini, L. Alviggi, F. Francini, M. C. Breschi
- Epidemiology**
- 1581 The epidemiology of Type 2 diabetes mellitus in Greek adults: the ATTICA study D. B. Panagiotakos, C. Pitsavos, C. Chrysoshoon, C. Stefanadis

- 1589 The metabolic syndrome and changing relationship between blood pressure and insulin with age, as observed in Aboriginal and Torres Strait Islander peoples A. E. Schutte, T. Shemesh, K. Rowley, J. D. Best, R. McDermott, K. O'Dea

# Clinical practice

- 1598 Ethnic differences in glycaemic control in adult Type 2 diabetic patients in primary care: a 3-year follow-up study T.-P. Ng, L.-G. Goh, Y. Tan, E. Tan, H. Leong, E.-G. Tay, A.-C. Thai

# Case reports

- 1605 Life-threatening hypokalaemia on a low-carbohydrate diet associated with previously undiagnosed primary hypoadosteronism A. Advani, R. Taylor
- 1608 Pseudoclaudication as a manifestation of diabetic neuropathy N. Papanas, M. Edmonds, E. Maltezos
- 1611 Long-term treatment experience in a subject with Dunnigan-type famili<sup>†</sup> partial lipodystrophy: efficacy of rosiglitazone A. Lüdtkke, K. Heck, J. Genschel, H. Mehnert, S. Spuler, H. J. Worman, H. H.-J. Schmidt

# Short reports

- 1614 Coronary flow reserve, insulin resistance and blood pressure response to standing in patients with normoglycaemia: is there a relationship? A. Nemes, C. Lengyel, T. Forster, T. T. Várkonyi, R. Takács, I. Nagy, P. Kempler, J. Lonovics, M. Csanády
- 1619 Short-term effects of cognitive behavioural group training (CBGT) in adult Type 1 diabetes patients in prolonged poor glycaemic control. A randomized controlled trial N. C. W. van der Ven, M. H. E. Hogenelst, A. M. E. Tromp-Wever, J. W. R. Twisk, H. M. van der Ploeg, R. J. Heine, F. J. Snoek

# Letters

- 1624 Creatine kinase elevation in a patient taking rosiglitazone M. Sabin, O. Bakiner, D. Ertugrul, N. D. Guvener
- 1625 Incidence and outcome of asymptomatic bacteriuria in females with Type 2 diabetes mellitus over a 1-year follow-up period and association with risk factors A. Sotiropoulos, S. Skourtis, P. Merkouris, T. Peppas, O. Apostolou, E. Kontela, E. Skliros, S. Pappas
- 1627 DM Diary

## December 2005 Number 12

# Review article

- 1628 What role do extracellular matrix changes contribute to the cardiovascular disease burden of diabetes mellitus? M. H. Tayebjee, G. Y. H. Lip, R. J. MacFadyen

# Original articles

- 1636 Excess mortality in Black compared with White patients with Type 1 diabetes: an examination of underlying causes Z. Bosnyak, R. Nishimura, M. Hagan Hughes, N. Tajima, D. Becker, J. Tuomilehto, T. J. Orchard
- 1642 Long-term (20 years) outcome and mortality of Type 1 diabetic patients in Soweto, South Africa G. V. Gill, K. R. L. Huddle, G. Monkoe
- 1647 Oxidized-LDL levels are changed during short-term serum glucose variations and lowered with statin treatment in

- early Type 2 diabetes: a study of endothelial function and microalbuminuria J. A. Paniagua, J. López-Miranda, P. Pérez-Martínez, C. Marín, J. M. Vida, F. Fuentes, R. A. Fernández de la Puebla, F. Pérez-Jiménez
- 1657 Clinically apparent atherosclerotic disease in diabetes is associated with an increase in platelet microparticle levels K. T. Tan, M. H. Tayebjee, H. S. Lim, G. Y. H. Lip
- 1663 A T<sup>-786</sup>C polymorphism in 5'-flanking region of the endothelial nitric oxide synthase gene and endothelium-dependent arterial dilation in Type 2 diabetes X. Guang-da, W. Qiong-shu, J. Wen
- 1670 Microvascular endothelial function in subjects with Type 2 diabetes and the effect of lipid-lowering therapy P. G. Fegan, A. C. Shore, D. Mawson, J. E. Tooke, K. M. MacLeod
- 1677 Novel polymorphisms in the GCKR gene and their influence on glucose and insulin levels in a Danish twin population B. Køster, M. Fenger, P. Poulsen, A. Vaag, J. Bentzen
- 1683 The G1888A variant in the mitochondrial 16S rRNA gene may be associated with Type 2 diabetes in Caucasian-Brazilian patients from southern Brazil D. Crispim, L. H. Canani, J. L. Gross, R. M. Carlessi, B. Tschiedel, K. E. P. Souto, I. Roisenberg
- 1690 Interaction of the G182C polymorphism in the APOA5 gene and fasting plasma glucose on plasma triglycerides in Type 2 diabetic subjects Y.-D. Jiang, C.-J. Yen, W.-L. Chou, S.-S. Kuo, K.-C. Lee, K. C. Chiu, L.-M. Chuang
- 1696 Examining the relationships between the Pro12Ala variant in PPARG and Type 2 diabetes-related traits in UK samples E. Zeggini, J. R. C. Parkinson, S. Halford, K. R. Owen, M. Walker, G. A. Hitman, J. C. Levy, M. J. Sampson, T. M. Frayling, A. T. Hattersley, M. I. McCarthy
- 1701 Insulin sensitivity independently influences brachial-ankle pulse-wave velocity in non-diabetic subjects S. Kasayama, H. Saito, M. Mukai, M. Koga
- 1707 The perils of procrastination: effects of early vs. delayed detection and treatment of incipient Charcot fracture E. Chantelau
- 1713 Abnormal foot function in diabetic patients: the altered onset of Windlass mechanism E. D'Ambrogio, C. Giacomozzi, V. Macellari, L. Uccioli
- 1720 Early detection of diabetic cardiomyopathy: usefulness of tissue Doppler imaging P. Di Bonito, N. Moio, L. Cavuto, G. Covino, E. Murena, C. Scilla, S. Turco, B. Capaldo, G. Sibilio
- 1726 Stability of haemoglobin A<sub>1c</sub> (HbA<sub>1c</sub>) measurements from frozen whole blood samples stored for over a decade E. Selvin, J. Coresh, J. Jordahl, L. Boland, M. W. Steffes
- 1731 Gestational diabetes: dilemma caused by multiple international diagnostic criteria M. M. Agarwal, G. S. Dhath, J. Punmose, G. Koster
- 1737 Orlistat in the treatment of overweight or obese Chinese patients with newly diagnosed Type 2 diabetes Y.-F. Shi, C.-Y. Pan, J. Hill, Y. Gao
- 1744 Factors associated with insulin discontinuation in subjects with ketosis-prone diabetes but preserved  $\beta$ -cell function M. R. Maldonado, M. E. Otiniano, F. Cheema, L. Rodríguez, A. Balasubramanyam
- Epidemiology**
- 1751 Prevalence of the metabolic syndrome in the island of Gran Canaria: comparison of three major diagnostic proposals M. Boronat, R. Chirino, V. F. Varillas, P. Saavedra, D. Marrero, M. Fábregas, F. J. Nóvoa
- Clinical practice**
- 1757 Muscle infarction involving muscles of abdominal and thoracic walls in diabetes X. Ran, C. Wang, H. Wang, T. Zhao, N. Tong, B. Song, H. Bu, Y. Luo, H. Tian, X. Li
- 1761 Gastric bypass and resolution of proteinuria in an obese diabetic patient H. Izzedine, M. Coupaye, I. Reach, G. Deray
- Short reports**
- 1763 Nocturnal neuropathic pain in diabetic patients may be caused by spinal stenosis S. M. Goldman
- 1766 Screening for Type 2 diabetes in the accident and emergency department P. M. George, J. Valabhji, M. Dawood, J. A. Henry
- 1770 No evidence of diabetes-specific CD38 (ADP ribosyl cyclase/cyclic ADP-ribose hydrolase) autoantibodies by liquid-phase immunoprecipitation V. Sordi, V. Lampasona, S. Cainarca, E. Bonifacio
- 1774 The pregnancies of women with Type 2 diabetes: poor outcomes but opportunities for improvement J. M. Roland, H. R. Murphy, V. Ball, J. Northcote-Wright, R. C. Temple
- Letters**
- 1778 Human parvovirus B19 infection in children with new onset Type 1 diabetes mellitus T. A. O'Bryan, M. J. Beck, L. M. Demers, S. J. Naides
- 1779 Laboratories should spot haemoglobin variants A. Gunneberg, D. Griffin
- 1779 Insulin prescribing is unsafe: education results in a significant but insufficient improvement N. R. Clarke, P. Narendran
- 1780 Circulating erythropoietin in diabetes mellitus C. M. Bruno, D. Cilio, C. Sciacca, R. Pellicano
- 1781 Reply V. Spallone, M. R. Maiello, G. Menzinger
- 1783 Higher body weight is associated with earlier onset of Type 1 diabetes in children: confirming the 'Accelerator Hypothesis' O. Kordonouri, R. Hartmann
- 1785 DM Diary
- 1786 List of reviewers 2005
- 1790 Author Index



